

DD

REPORT OF DRILLED WELL

Walton E. Hantel - 157. Fruitdale, Ala. 36539 - Dec. 1, 1978

DRILLING CONTRACTOR

License Number

Address

Zip Code

Date

RENNIE ODOM - CITRONELLE, ALA.

PROPERTY OWNER

Address (mailing)

Zip Code

DEER PARK, WASH 27 S.E. T4N R34W

WELL LOCATION

County

Section

1/4 Section

Township

Range

4 mi south of Tibbie - 1 mile east of highway 17

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply☐ Public supply☐ Industrial supply☐ Test well☐ Irrigation

Other: _____

DEC. 6, 1978

Estimated starting date

Drilling method: (check)

Cable tool
☒ Rotary
Jetted
Bored

Other: _____

Diameter of well

Estimated depth

2 = (changed to 4") 360 ft.

Walton E. Hantel

SIGNATURE of Drilling Contractor

Total Depth 364 ft

Completion Date Feb. 27, 1979

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
				Pump	Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
					Intake depth _____ H.P. 1 Yield 15 gpm				
				Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
					Measured Static Water Level 150 ft. ft.				
					Measured pumping level _____ ft. after _____ hrs. pumping _____ gpm				
					Development time prior to testing _____ hrs.				
				Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: 344 to 364 ft.				
					to _____ to _____ ft.				
					Packer(s) set at 340 and _____ ft.				
					Screen: diam. 2" ; Size openings 10 slot				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					344	4"	P.V.C	BELL	0-20+
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical			
					Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
					Signed: Walton Hantel				

*For deeper well please attach continuation sheet.

DD

REPORT OF DRILLED WELL

165

CARRS Well SERV 301 BUCKATUNNA MS 39322 4-15-76

DRILLING CONTRACTOR

License Number

Address

Zip Code

Date

JIMMY WHITE

Box 45

CHATOM, ALA.

36518

PROPERTY OWNER

Address (mailing)

Zip Code

Washington

35

Middle

4N

3W

WELL LOCATION

County

Section

1/4 Section

Township

Range ---or:

Take 4 point Rd on top of Hill First Rd on Left Trailer

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒

Private supply

☐

Public supply

☐

Industrial supply

☐

Test well

☐

Irrigation

Other: _____

4-15-76

Estimated starting date

Drilling method: (check)

☐ Cable tool☒ Rotary☐ Jetted☐ Bored

Other: _____

2"

Diameter of well

110

Estimated depth

Gilbert Carr

SIGNATURE of Drilling Contractor

Total Depth 40

Completion Date 4-16-76

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
2	Top soil			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
9	YEL. CLAY				Intake depth 38 H.P. 1 Yield 8 gpm				
11	" " " WT. B.R.			Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
17	PRY W. CLAY				Measured Static Water Level 25 ft.				
25	FINE W. SAND				Measured pumping level 25 ft. after				
26	PRY W. CLAY				1 hrs. pumping 8 gpm				
39	MED W. CLAY			Finish	Development time prior to testing 1/2 hrs.				
40	YEL. CLAY				<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> 5D pk.				
					Interval(s) screened: 34 to 39 ft.				
					to _____; _____ to _____ ft.				
				Casing	Packer(s) set at _____ and _____ ft.				
					Screen: diam. 2" ; Size openings 8/16"				
					Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted				
					0-34 2" PVC Bell sch 40 0-20 1-5K Cmt + bag of water				
				Quality	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: Cmt				
					*Pipe: Black; PVC; Galv.; Other: _____				
					Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.					
				Signed: _____					

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

DD
Fry Fogle 400 **RT 8 Box 39452** 10/17/87
 DRILLING CONTRACTOR License Number Address Zip Code Date
Rusty Taylor P.O. Box 1 **Tibbie, AL** 36583
 PROPERTY OWNER Address (mailing) Zip Code

Washington **8** **T4N** **RW3**
 WELL LOCATION County Section 1/4 Section Township Range ---or:
3-mi SE Tibbie **8** **T4N** **R3W**
 Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply
☐ Public supply
☐ Industrial supply
☐ Test well
☐ Irrigation Other: _____

10-19-87

Estimated starting date

Drilling method: (check)

☒ Cable tool
☐ Rotary
☐ Jetted
☐ Bored

Other: _____

2" Diameter of well

350' Estimated depth

Paul R. Fryfogle
 SIGNATURE of Drilling Contractor

Total Depth **362'**

Completion Date **11/3/87**

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
0-10	Top Soil Clay			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
10-20	Sand, fine				Intake depth 120 H.P. 2 Yield 12 gpm				
20-35	Sand, med			Capacity	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
35-45	Rock + Sandy clay				Measured Static Water Level 60' ft.				
40-60	Clay			Measured pumping level 90' ft. after 1 1/2 hrs. pumping 25 gpm					
60-72	Rock			Development time prior to testing _____ hrs.					
72-100	Clay			Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
100-150	Hard Clay				Interval(s) screened: 352 to 362 ft.				
150-160	Soft Sand			to _____; _____ to _____ ft.					
160-190	Shale Sand + clay			Packer(s) set at _____ and 5' ft.					
190-225	" " "			Screen: diam. 2" ; Size openings 5' #6-8					
225-300	fine Sand, Railroad			Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
300-350	med. Sand								
350-362	med. Sand								
				Quality	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: weld steel				
				Quality	*Pipe: Black; PVC ; Galv.; Other: _____				
					Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.					
				Signed: Paul R. Fryfogle					

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

31322

DRILLING CONTRACTOR MARTHA J. LEBLANC License Number P.O. Box 23 Address TIBBIE, AL. Zip Code 36588 Date 3/24/90

PROPERTY OWNER WASHINGTON Address (mailing) 1 M. W. TIBBIE County 36 Section 4N Township 3W Range ---or: CD. H. 5A. 28

WELL LOCATION WASHINGTON Distance and direction from nearest town, community, road junction or other reference point 1 M. W. TIBBIE

WELL WILL BE USED FOR: ☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well ☐ Irrigation Other: _____

Estimated starting date 3/24/90 Drilling method: (check) ☐ Cable tool ☐ Rotary ☐ Jetted ☐ Bored Other: _____ Diameter of well 2" Estimated depth 3/24/90

Seibert Law
SIGNATURE of Drilling Contractor

Total Depth 196 Completion Date 3/27/90

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level																																																		
2	TOP 50' /			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <u>170</u> H.P. <u>2</u> Yield <u>6</u> gpm																																																		
6	Y. SD. + CLAY																																																					
8	CLAY WH. + YEL.			Capacity Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>105</u> ft. Measured pumping level <u>109</u> ft. after <u>1</u> hrs. pumping <u>8</u> gpm Development time prior to testing <u>1/2</u> hrs.																																																		
10	Y. M. WH. SD.																																																					
18	YEL. + WH. CLAY			Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: <u>186</u> to <u>196</u> ft. to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings <u>6</u>																																																		
30	DR. + WH. CLAY																																																					
73	BLUE CLAY			Casing <table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td>186</td> <td>2</td> <td>PVC</td> <td>BELL</td> <td>20</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	186	2	PVC	BELL	20																																								
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings		Interval grouted																																																	
186	2	PVC	BELL		20																																																	
74	Y. Y. YEL. SD.																																																					
76	Y. YEL. SD.																																																					
102	BLUE CLAY																																																					
105	Y. Y. WH. SD.																																																					
140	BLUE CLAY																																																					
141	SD.																																																					
193	BLUE CLAY																																																					
194	Y. Y. SD.																																																					
196	CLAY																																																					
	7 7 SD.			Quality Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____																																																		

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

DD

DRILLING CONTRACTOR Jacobs Well Serv License Number 400 Address Rt 8 Box 3 Lucadens Zip Code 3952 Date 9-26-92
 PROPERTY OWNER Douglas Cochran Address (mailing) Rt 1 Box 33 Deer Park Al. Zip Code 36527

WELL LOCATION East Central County Washington Section 33 1/4 Section 33 Township T43 Range R 34
 Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

9-28-92
 Estimated starting date

Drilling method: (check)

☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

4"
 Diameter of well

300'
 Estimated depth

Del R Jacobs
 SIGNATURE of Drilling Contractor

Total Depth 405'

Completion Date 10-28-92

Interval	Description of cuttings	Interval	Description of cuttings
0-5	Tap Soil		
5-20	Clay		
20-30	Sand		
30-50	Clay		
50-80	Sandy clay		
80-100	Clay		
100-200	Clay		
200-300	Clay		
300-386	" "		
386-405	Sand		

Completion date: report depths below ground level				
Pump	Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____			
	Intake depth <u>160</u> H.P. <u>1</u> Yield <u>20</u> gpm			
Capacity	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none			
	Measured Static Water Level <u>116'</u> ft.			
	Measured pumping level <u>140'</u> ft. after <u>3</u> hrs. pumping <u>25-35</u> gpm			
Finish	Development time prior to testing <u>1/2</u> hrs.			
	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.			
	Interval(s) screened: <u>3</u> <u>90</u> to <u>405</u> ft.			
	Packer(s) set at _____ and _____ ft.			
Casing	Screen: diam. <u>4"</u> ; Size opening <u>#6</u>			
	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings
	<u>all</u>	<u>4"</u>	<u>PVC</u>	<u>PVC</u>
Quality	Interval grouted <u>top 10'</u>			
	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)			
	Other: _____			
	*Pipe: Black; PVC; Galv.; Other: _____			
Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
Signed: _____				

*For deeper well please attach continuation sheet.